


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	1/23/15	D.GRIFFIN



1.13mm, 50 OHM LOW-LOSS COAXIAL CABLE  
 JACKET: FEP  
 FLEXIBLE LENGTH: 3.38[85.9]

**NOTES:**

1. ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPECIFICATION PKG-00012.

-ALL DIMENSIONS FOR REFERENCE ONLY-

**REGULATORY COMPLIANCE:**  
 CE2011/65/EU(RoHS DIRECTIVE)

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm]  DIMENSIONAL TOLERANCES: .X = ±.1 [2.54] .XX = ±.01 [.25] .XXX = ±.005 [.13]  ANGULAR TOLERANCES: ALL = ± 1°	APPROVALS DRAWN BY B. PUCHASKI	DATE 01/22/15	45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845		
	CHECKED BY K. BURGNER	01/22/15		CATEGORY ANTENNA	
	APPROVED BY P. PESA	01/22/15	PRODUCT DESCRIPTION 2.4GHz 2dBi OMNI ANTENNA PCB W/ UFL CONNECTOR		
PROJECTION 	COLOR VARIATIONS MAY OCCUR	SIZE <b>A</b>	FSCM NO. 43321	DWG. NO. HG2402PU-UFL	REV. <b>A</b>
		SCALE: NONE	CAD FILE: HG2402PU-UFL.SLDDRW	SHEET 1 OF 1	